



FIG. 1







FIG. 7






FIG. 8

FIG. 6






FIG. 9





FIG. 10

FIG. 11








FIG. 12








FIG. 14

FIG. 15




FIG. 15




FIG. 16




FIG. 17

FIG. 19





FIG. 41






FIG. 20




FIG. 21






FIG. 22






FIG. 25




FIG. 26




FIG. 27




FIG. 29




FIG. 28




FIG. 30

FIG. 31






FIG. 32




FIG. 33




FIG. 35




FIG. 35

**Figure 6**




Fig. 36




FIG. 37

FIG. 38




FIG. 38





FIG. 39








Fig. 42




FIG. 43




Fig. 44




Fig. 45




Fig. 46

7/16/00 055600

JOHN SMITH		6/24/00		11:05		
VITALS	TRENDS	P.INFO	SET-UP	HISTORY	EQUIP.	CPR
TIME		10:00	11:00	12:00	1:00	2:00
CORE TEMP		39.2	39.2	39.2	39.2	39.2
HEART RATE		107	108	107	107	107
HEART RHYTHM		S TACH	S TACH	S TACH	S TACH	S TACH
ART SYSTOLIC		150	160	150	150	150
ART DIASTOLIC		90	94	90	90	90
ART MEAN		110	116	110	110	110
PA SYSTOLIC		43	54	43	43	43
PA DIASTOLIC		22	25	22	22	22
PA MEAN		30	30	30	30	30
PCMP		20	10	20	20	20
CVP		10	10	10	10	10
CO		4.70	4.70	4.70	4.70	4.70
CI		2.17	2.17	2.17	2.17	2.17
SVR		10.89	10.89	10.89	10.89	10.89
PVR		159	159	159	159	159
SV02		61	64	61	61	61
RESPIRATORY RATE		15	11	15	15	15
SPO2		100	99	100	100	100

Fig. 47A

JOHN SMITH		6/24/00		11:05	
3:00	4:00	5:00	6:00		
39.2	39.2	39.2	39.2		
107	107	107	107		
S TACH	S TACH	S TACH	S TACH		
150	150	150	150		
90	90	90	90		
110	110	110	110		
43	43	43	43		
22	22	22	22		
30	30	30	30		
20	20	20	20		
10	10	10	10		
4.70	4.70	4.70	4.70		
2.17	2.17	2.17	2.17		
10.89	10.89	10.89	10.89		
159	159	159	159		
61	61	61	61		
15	15	15	15		
100	100	100	100		

0

9


9


A


Q


Z

ENTER
















Fig. 47B

Fig. 48










FIG. 53

FIG. 54




FIG. 54




Fig. 55




FIG. 56




FIG. 57







FIG. 5B











[illegible]

FIG. 64







FIG. 67

FIG. 68

Fig. 69






FIG. 73




FIG. 75




FIG. 76






FIG. 74










FIG. 80




FIG. 80




FIG. 81

FIG. 82




FIG. 82




FIG. 83




FIG. 84

FIG. 85






FIG. 86




FIG. 86